Albatross USA Inc.
36-41 36th Street
Long Island, NY, USA, 11106
Telephone: (718) 392 6272

SAFETY DATA SHEET

SECTION 1. IDENTIFICATION

Product identifier used on the label
: **EverBlum Gold Cleaning Fluid**

Other means of identification : 1810R, 1811R, 1812R & 1815R

Recommended use of the chemical and restrictions on use
: Spot remover for textiles
Use pattern:Professional Use Only
Restriction on use: For use in manufacturing only

Chemical family : Mixture

Name, address, and telephone number of the supplier:

Albatross USA Inc.

36-41 36th Street
Long Island, NY, USA
11106

Supplier's Telephone # : 718-392-6272

Name, address, and telephone number of the manufacturer:

Refer to supplier

24 Hr. Emergency Tel # : Chemtrec 1-800-424-9300 (Within Continental U.S.); Chemtrec 703-527-3887 (Outside U.S.).

SECTION 2. HAZARDS IDENTIFICATION

Classification of the chemical

Most important hazards: Causes skin irritation. May be fatal if swallowed and enters airways. Causes serious eye irritation. Harmful if inhaled. May cause drowsiness or dizziness.

This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015).

Hazard classification:
Flammable Liquid - Category 4
Acute toxicity, inhalation - Category 4
Skin Corrosion/Irritation - Category 2
Eye damage/irritation -Category 2A
Specific target organ toxicity, single exposure-Category 3
Aspiration Toxicity - Category 1

Physical Hazards Not Otherwise Classified (PHNOC): Not applicable
Hazards Not Otherwise Classified (HNOC) / Health Hazards Not Otherwise Classified: Not applicable

Label elements

Hazard pictogram(s)



Signal Word

DANGER!

Albatross USA Inc.
36-41 36th Street
Long Island, NY, USA, 11106
Telephone: (718) 392 6272

SAFETY DATA SHEET

Hazard statement(s)

Combustible liquid.
Causes skin irritation.
Causes serious eye irritation.
Harmful if inhaled.
May cause drowsiness or dizziness.
May be fatal if swallowed and enters airways.

Precautionary statement(s)

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources - No smoking.
Wash thoroughly after handling.

Avoid breathing fumes, mists or vapors.
Use only outdoors or in a well-ventilated area.
Wear protective gloves, eye and face protection.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.
Call a POISON CENTER or doctor/physician if you feel unwell.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
IF ON SKIN: Wash with plenty of soap and water.
Take off contaminated clothing and wash it before reuse.
If skin irritation occurs: get medical advice/attention.
IF SWALLOWED: Immediately call a POISON CENTER or doctor or physician.
Do NOT induce vomiting.
In case of fire: Use water fog, dry chemical, CO2 or 'alcohol' foam to extinguish.

Store locked up.
Store in a well-ventilated place. Keep cool.
Keep container tightly closed.

Dispose of contents/container in accordance with local regulation.

Other hazards

Other hazards which do not result in classification:
Ingestion may cause irritation of the mouth, throat and stomach.May cause respiratory irritation. Contact with eyes may cause irritation.

Prolonged or repeated contact may cause drying, cracking and defatting of the skin.

Environmental precautions :
Avoid release to the environment. See ECOLOGICAL INFORMATION, Section 12.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Chemical name	Common name and synonyms	CAS #	Concentration (% by weight)
Naphtha (petroleum), light alkylate	Not available.	64741-66-8	**40.0 - 50.0**
Hydrotreated heavy naphtha	Odorless mineral spirits	64742-48-9	**20.0 - 30.0**
Ethene, 1,2-dichloro- (E)	Not available.	156-60-5	**30.0 - 40.0**
(Z) 1-chloro-2,3,3-trifluoropropene	Not available.	1263679-68-0	**3.0 - 10.0**

The exact concentrations of the above listed chemicals are being withheld as a trade secret.

Albatross USA Inc.
36-41 36th Street
Long Island, NY, USA, 11106
Telephone: (718) 392 6272

SAFETY DATA SHEET

SECTION 4. FIRST-AID MEASURES

Description of first aid measures

Ingestion : If swallowed: Immediately call a poison center/doctor. Do not induce vomiting. Rinse mouth thoroughly. Never give anything by mouth to an unconscious person. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration.

Inhalation : Immediately remove person to fresh air. If breathing has stopped, give artificial respiration. If breathing is difficult, give oxygen by qualified medical personnel only. Call a POISON CENTER or doctor/physician if you feel unwell.

Skin contact : Wash affected areas with soap and water. Take off contaminated clothing and wash before re-use. Get medical attention if irritation develops and persists.

Eye contact : Flush with large amounts of water for 15 minutes. Remove contact lenses, if present and easy to do. If irritation or symptoms develop, seek medical attention.

Most important symptoms and effects, both acute and delayed

: Aspiration hazard - material may cause lung inflammation or damage if it enters lungs through vomiting or swallowing. Aspiration into the lungs during swallowing or subsequent vomiting may cause chemical pneumonitis, which can be fatal. Inhalation of high concentrations may cause dizziness, disorientation, incoordination, narcosis, nausea or narcotic effects. Causes serious eye irritation. May be fatal if swallowed and enters airways. Causes skin irritation. Symptoms may include redness, itching and swelling.

Indication of any immediate medical attention and special treatment needed

: Treat symptomatically.Aspiration hazard. .

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing media

Suitable extinguishing media

: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media

: Do not use a solid water stream as it may scatter and spread fire.

Special hazards arising from the substance or mixture / Conditions of flammability

: Combustible liquid.Closed containers may rupture if exposed to excess heat or flame due to a build-up of internal pressure. Vapour can travel considerable distance and flashback to a source of ignition. Vapours are heavier than air and collect in confined and low-lying areas.

Flammability classification (OSHA 29 CFR 1910.106)

: Flammable Liquid - Category 4

Hazardous combustion products

: Carbon dioxide and carbon monoxide. Other unidentified organic compounds .

Special protective equipment and precautions for firefighters

Protective equipment for fire-fighters

: Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode. A full-body chemical resistant suit should be worn.

Special fire-fighting procedures

: Evacuate personnel to safe areas. Move containers from fire area if safe to do so. Water spray may be useful in cooling equipment exposed to heat and flame. Dike for water control.Avoid release to the environment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

SAFETY DATA SHEET

: All persons dealing with clean-up should wear the appropriate protective equipment including self-contained breathing apparatus. Keep all other personnel upwind and away from the spill/release. Restrict access to area until completion of clean-up. Refer to Section 8, EXPOSURE CONTROLS AND PERSONAL PROTECTION, for additional information on acceptable personal protective equipment.

Environmental precautions : Ensure spilled product does not enter drains, sewers, waterways, or confined spaces. For large spills, dike the area to prevent spreading.

Methods and material for containment and cleaning up

: Ventilate the area. Prevent further leakage or spillage if safe to do so.Dike for water control. Use only non-sparking tools and equipment in the clean-up process. Spilled material will create slippery surfaces. Clean up promptly. Contain and absorb spilled liquid with non-combustible, inert absorbent material (e.g. sand), then place absorbent material into a container for later disposal (see Section 13). Contact the proper local authorities.

Special spill response procedures

: If a spill/release in excess of the EPA reportable quantity is made into the environment, immediately notify the National Response Center in the United States (phone: 1-800-424-8802).
US CERCLA Reportable quantity (RQ): See section 15.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling

: Use only outdoors or in a well-ventilated area. Wear suitable protective equipment. Avoid breathing mist or vapours. Avoid contact with skin, eyes and clothing. Keep away from flames and hot surfaces. - No smoking. Use only non-sparking tools.Label containers appropriately. Wash thoroughly after handling. Keep containers closed when not in use.

Conditions for safe storage : Store locked up. Store in a cool, dry, well-ventilated area. Keep container tightly closed. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Inspect periodically for damage or leaks. Do not store above 120°F (50°C).

Incompatible materials : Strong oxidizers (e.g. Chlorine, Peroxides, etc.).

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits:

Chemical Name	ACGIH TLV		OSHA PEL	
	TWA	STEL	PEL	STEL
Naphtha (petroleum), light alkylate	Not available.	Not available.	241ppm	Not available.
Hydrotreated heavy naphtha	Not available.	Not available.	196ppm	Not available.
Ethene, 1,2-dichloro- (E)	200 ppm	Not available.	Not available.	Not available.
(Z) 1-chloro-2,3,3-trifluoropropene	Not available.	Not available.	Not available.	Not available.

Exposure controls

Ventilation and engineering measures

: Provide exhaust ventilation or other engineering controls to keep the airborne concentration of vapours below their respective threshold limit value.Use explosion-proof electrical and ventilating equipment.

SAFETY DATA SHEET

Respiratory protection	:	Respiratory protection is required if the concentrations exceed the TLV. Use a NIOSH approved dust respirator if dust levels exceed exposure limits. Seek advice from respiratory protection specialists.
Skin protection	:	Wear protective gloves. The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye / face protection	:	Wear eye/face protection. Safety glasses with side-shields or chemical splash goggles.
Other protective equipment	:	Wear appropriate protective clothing to prevent skin contact, such as coveralls or long sleeved shirt, long pants, and shoes and socks. An eyewash station and safety shower should be made available in the immediate working area. Other equipment may be required depending on workplace standards.
General hygiene considerations	:	Avoid breathing mist or vapours. Avoid contact with skin, eyes and clothing. Do not eat, drink, smoke or use cosmetics while working with this product. Upon completion of work, wash hands before eating, drinking, smoking or use of toilet facilities. Remove soiled clothing and wash it thoroughly before reuse.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	:	Liquid
Colour	:	Clear, colorless.
Odour	:	Not available.
Odour threshold	:	Not available.
pH	:	Not available.
Melting Point/Freezing point	:	Not available.
Initial boiling point and boiling range	:	118-355 ° F (48°-179°C)
Flash point	:	161.6°F (72°C)
Flashpoint (Method)	:	Closed cup
Evaporation rate (BuAe = 1)	:	Not available.
Flammability	:	Combustible
Lower explosion or flammability limit (% by vol.)	:	Not available
Upper explosion or flammability limit (% by vol.)	:	Not available
Oxidizing properties	:	Not applicable
Explosive properties	:	Not explosive
Vapour pressure	:	Not available.
Relative vapour density	:	Not available.
Relative density / Specific gravity	:	0.907
Solubility in water	:	Negligible.
Other solubility(ies)	:	Not available.
Partition coefficient: n-octanol/water or Coefficient of water/oil distribution	:	Not available.
Auto-ignition temperature	:	Not available
Decomposition temperature	:	Not available.
Viscosity	:	Not available.
Particle characteristics	:	Not applicable.
Volatiles (% by weight)	:	Not available.
Volatile organic Compounds (VOC's)	:	100% (860.0 g/l)

SAFETY DATA SHEET

Absolute pressure of container
: Not applicable

Flame projection length : Not applicable

Other physical/chemical comments
: Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not normally reactive.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions
: Hazardous polymerization does not occur.

Conditions to avoid : Ensure adequate ventilation, especially in confined areas. Avoid contact with incompatible materials.

Incompatible materials : Strong oxidizers.

Hazardous decomposition products
: Carbon oxides.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

Routes of entry inhalation : YES

Routes of entry skin & eye : YES

Routes of entry Ingestion : YES

Routes of exposure skin absorption
: NO

Potential Health Effects:

Signs and symptoms of short-term (acute) exposure

Sign and symptoms Inhalation
: May cause drowsiness or dizziness. Symptoms may include pain, headache, nausea, vomiting, dizziness, drowsiness and other central nervous system effects.

Sign and symptoms ingestion
: Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Aspiration hazard if swallowed - can enter lungs and cause damage. Aspiration may cause pulmonary oedema and pneumonitis.

Sign and symptoms skin : Causes skin irritation. Symptoms may include redness, blistering, pain and swelling.

Sign and symptoms eyes : Causes serious eye irritation. Symptoms may include stinging, tearing, redness, swelling and blurred vision.

Potential Chronic Health Effects
: Prolonged exposure can cause redness, swelling, itching, cracking of the skin, dermatitis and sensitization.

Mutagenicity : Not expected to be mutagenic in humans.

Carcinogenicity : No components are listed as carcinogens by ACGIH, IARC, OSHA or NTP.

Reproductive effects & Teratogenicity
: Not expected to have other reproductive effects.

Sensitization to material : Not expected to be a skin or respiratory sensitizer.

Specific target organ effects : Specific Target Organ Toxicity (STOT), Single Exposure: Category 3. May cause drowsiness or dizziness.

SAFETY DATA SHEET

Medical conditions aggravated by overexposure
: Not available.

Synergistic materials : Not available.

Toxicological data : There is no data available for this product. The calculated ATE values for this mixture are: ATE oral = >2000 mg/kg

Chemical name	LC_{50}(4hr) inh, rat	LD_{50} (Oral, rat)	LD_{50} (Rabbit, dermal)
Naphtha (petroleum), light alkylate	>20 mg/l	>5000 mg/kg	>2000 mg/kg
Hydrotreated heavy naphtha	> 5000mg/m³ (vapour)	> 5000 mg/kg	> 5000 mg/kg (No mortality)
Ethene, 1,2-dichloro- (E)	24100 ppm	7900 mg/kg	>5000 mg/kg
(Z) 1-chloro-2,3,3-trifluoropropene	Not available.	Not available.	Not available.

Other important toxicological hazards
: Not applicable

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity : Not expected to be harmful to aquatic organisms. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. See the following tables for the substance's ecotoxicity data. Do not allow this material to drain into sewers/water supplies.

Ecotoxicity data:

Ingredients	CAS #	Toxicity to Fish		
		LC50 / 96h	NOEC / 21 day	M Factor
Naphtha (petroleum), light alkylate	64741-66-8	18.4 mg/L (Fathead minnow)	Not available.	None.
Hydrotreated heavy naphtha	64742-48-9	1000 mg/L (Fathead minnow)	Not available.	None.
Ethene, 1,2-dichloro- (E)	156-60-5	135 mg/L	Not available.	None.

Ingredients	CAS #	Toxicity to Daphnia		
		EC50 / 48h	NOEC / 21 day	M Factor
Naphtha (petroleum), light alkylate	64741-66-8	4.5 mg/L Water flea	0.17 mg/L Water flea	None.
Hydrotreated heavy naphtha	64742-48-9	1000 mg/L (Daphnia magna)	<1 mg/L	None.

Albatross USA Inc.
36-41 36th Street
Long Island, NY, USA, 11106
Telephone: (718) 392 6272

SAFETY DATA SHEET

Ingredients	CAS #	Toxicity to Algae		
		EC50 / 96h or 72h	NOEC / 96h or 72h	M Factor
Naphtha (petroleum), light alkylate	64741-66-8	29 mg/L	6.3mg/L	None.
Hydrotreated heavy naphtha	64742-48-9	1000 mg/L/96hr (Green algae)	1000 mg/L/96hr	None.

Persistence and degradability
: Not available.

Bioaccumulation potential : Contains a chemical considered to be bioaccumulative.

Components	Partition coefficient n-octanol/water (log Kow)	Bioconcentration factor (BCF)
Hydrotreated heavy naphtha (CAS 64742-48-9)	2.1 - 6 (calculated)	10 - 2500 (calculated)
Ethene, 1,2-dichloro- (E) (CAS 156-60-5)	1.48	

Mobility in soil : This material has low solubility and floats, and is expected to migrate from water to the land.

Other Adverse Environmental effects
: No data is available on the product itself.

SECTION 13. DISPOSAL CONSIDERATIONS

Handling for Disposal : Handle waste according to recommendations in Section 7. Empty containers may contain hazardous residues.

Methods of Disposal : Dispose in accordance with all applicable federal, state, provincial and local regulations.

RCRA : If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method.

Albatross USA Inc.
36-41 36th Street
Long Island, NY, USA, 11106
Telephone: (718) 392 6272

SAFETY DATA SHEET

SECTION 14. TRANSPORT INFORMATION

Regulatory Information	UN Number	UN proper shipping name	Transport hazard class(es)	Packing Group	Label
ICAO/IATA	None.	Not regulated.	not regulated	none	
ICAO/IATA Additional information	None.				
IMDG	None.	Not regulated.	not regulated	none	
IMDG Additional information	None.				
TDG	None.	Not regulated.	not regulated	none	
TDG Additional information	None.				
49CFR/DOT	NA1993	Combustible liquid, n.o.s. trans- Dichloroethylene	Combustible.	III	
49CFR/DOT Additional information	Not regulated for road or rail shipment if packaged in non-bulk containers (450 Litres or less each).				

Special precautions for user : Appropriate advice on safety must accompany the package. Keep away from flames and hot surfaces. - No smoking.

Environmental hazards : This substance does not meet the criteria for an environmentally hazardous substance according to the IMDG Code. See Section 12 for more environmental information.

SECTION 15 - REGULATORY INFORMATION

US Federal Information:

Components listed below are present on the following U.S. Federal chemical lists:

Ingredients	CAS #	TSCA Inventory	CERCLA Reportable Quantity(RQ) (40 CFR 117.302):	SARA TITLE III: Sec. 302, Extremely Hazardous Substance, 40 CFR 355:	SARA TITLE III: Sec. 313, 40 CFR 372, Specific Toxic Chemical	
					Toxic Chemical	de Minimis Concentration
Naphtha (petroleum), light alkylate	64741-66-8	Yes	N/Ap	N/Av	No	N/Ap
Hydrotreated heavy naphtha	64742-48-9	Yes	None.	None.	No	N/Ap
Ethene, 1,2-dichloro- (E)	156-60-5	Yes	1000 lb/ 454 kg	N/Av	No	N/Ap
(Z) 1-chloro-2,3,3-trifluoropropene	1263679-68-0	Yes	N/Ap	None.	No	N/Ap

Albatross USA Inc.
36-41 36th Street
Long Island, NY, USA, 11106
Telephone: (718) 392 6272

SAFETY DATA SHEET

SARA TITLE III: Sec. 311 and 312, SDS Requirements, 40 CFR 370 Hazard Classes: Flammable, Skin irritation ;Aspiration hazard. Eye damage/irritation Specific target organ toxicity, single exposure

US State Right to Know Laws:

The following chemicals are specifically listed by individual States:

Ingredients	CAS #	California Proposition 65		State "Right to Know" Lists					
		Listed	Type of Toxicity	CA	MA	MN	NJ	PA	RI
Naphtha (petroleum), light alkylate	64741-66-8	No	N/Ap	No	No	No	No	No	No
Hydrotreated heavy naphtha	64742-48-9	No	N/Ap	No	No	No	No	No	No
Ethene, 1,2-dichloro- (E)	156-60-5	No	N/Ap	Yes	Yes	No	No	Yes	No
(Z) 1-chloro-2,3,3-trifluoroprop ene	1263679-68-0	No	N/Ap	No	No	No	No	No	No

Canadian Information:
All ingredients are present on the DSL.

International Information:

Components listed below are present on the following International Inventory list:

Ingredients	CAS #	European EINECs	Australia AICS	Philippines PICCS	Japan ENCS	Korea KECI/KECL	China IECSC	NewZealand IOC
Naphtha (petroleum), light alkylate	64741-66-8	265-068-8	Present	Present	(9)-1690	KE-25627	Present	No information available.
Hydrotreated heavy naphtha	64742-48-9	265-150-3	Present	Present	(9)-1690	KE-25622	Present	Present
Ethene, 1,2-dichloro- (E)	156-60-5	205-860-2	Present	Present	(2)-103	KE-10123	Present	HSR001122
(Z) 1-chloro-2,3,3-trifluoropr opene	1263679-68-0	824-458-3	Not available	Not available	Not available	Not available	Not available	Not available

SECTION 16. OTHER INFORMATION

Legend : ACGIH: American Conference of Governmental Industrial Hygienists
CAS: Chemical Abstract Services
CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act of 1980
CFR: Code of Federal Regulations
CNS: Central Nervous System
DOT: Department of Transportation
EPA: Environmental Protection Agency
EINECS: European Inventory of Existing Commercial chemical Substances
IARC: International Agency for Research on Cancer
IBC: Intermediate Bulk Container
IMDG: International Maritime Dangerous Goods
Inh: Inhalation
LC: Lethal Concentration
LD: Lethal Dose

SAFETY DATA SHEET

N/Ap: Not Applicable
N/Av: Not Available
NIOSH: National Institute of Occupational Safety and Health
NTP: National Toxicology Program
OSHA: Occupational Safety and Health Administration
PEL: Permissible exposure limit
RCRA: Resource Conservation and Recovery Act
RTECS: Registry of Toxic Effects of Chemical Substances
SARA: Superfund Amendments and Reauthorization Act
STEL: Short Term Exposure Limit
TDG: Canadian Transportation of Dangerous Goods Act & Regulations
TLV: Threshold Limit Values
TWA: Time Weighted Average
WHMIS: Workplace Hazardous Materials Identification System

References : 1. ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents & Biological Exposure Indices
2. ECHA - European Chemical Agency
3. Canadian Centre for Occupational Health and Safety, CCInfoWeb databases
4. Safety Data Sheets from manufacturer.
5. US EPA Title III List of Lists
6. California Proposition 65 List
7. OECD - The Global Portal to Information on Chemical Substances - eChemPortal

Preparation Date (mm/dd/yyyy) : 10/21/2025

Other special considerations for handling : Provide adequate information, instruction and training for operators.

Prepared for: Albatross USA Inc. 36-41 36th Street Long Island, NY, USA, 11106 Telephone: (718) 392 6272	
Prepared by: ICC The Compliance Center Inc. Telephone: (888) 442-9628 (U.S.): (888) 977-4834 (Canada) http://www.thecompliancecenter.com	

DISCLAIMER

This Safety Data Sheet was prepared by ICC The Compliance Center Inc. using information provided by Albatross USA Inc.and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and Albatross USA Inc.expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

END OF DOCUMENT