# Safety Data Sheet

AlbaChem® HGR Haze Out

**SECTION 1: Identification**

| | |
|---|---|
| **Product form:** | **Mixture** |
| **Product name:** | **AlbaChem® HGR Haze Out** |
| **Product Nos.:** | 4113, 4114, 4115, 4116, 4117 |
| **Recommended use:** | Cleaning/washing agents and additives |
| **Supplier Information:** | ALBATROSS USA 36-41 36th Long Island City, NY 11106, |
| **Telephone:** | 718-392-6272 |
| **Emergency number:** | Spill, leak, fire, exposure or accident – Call CHEMTREC – Day or Night 1-800-424-9300 or 1-703-527-3887 (USA & Canada) 01-800-681-9531 (México) |

**Date of Revision: 9/25/26**

**SECTION 2: Hazard(s) identification**

**Classification of the substance or mixture**

**GHS US classification**

| | | |
|---|---|---|
| **Flammable liquids Category 4** | **H227** | Combustible liquid |
| **Serious eye damage/eye irritation Category 1** | **H318** | Causes serious eye damage |
| **Skin sensitization, Category 1** | **H317** | May cause an allergic skin reaction |
| **Hazardous to the aquatic environment – Acute Hazard Category 2 H401** | | Toxic to aquatic life |
| **Hazardous to the aquatic environment – Chronic Hazard Category 2 H411** | | Toxic to aquatic life with long lasting effects |

**Full text of H statements : see section 16**

**GHS Label elements, including precautionary statements**

**GHS US labeling**

**Hazard pictograms (GHS US)**



**Signal word (GHS US):** **Danger**

**Hazard statements (GHS US):**

**H227 -** Combustible liquid

**H317 -** May cause an allergic skin reaction

**H318 -** Causes serious eye damage H401 - Toxic to aquatic life

**H411 -** Toxic to aquatic life with long lasting effects

**Precautionary statements (GHS US):**

**P210 -** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

**P261 -** Avoid breathing dust/fume/gas/mist/vapors/spray.

**272 -** Contaminated work clothing must not be allowed out of the workplace.

**P273 -** Avoid release to the environment.

**P280 -** Wear protective gloves/protective clothing/eye protection/face protection.

**P302+P352 -** If on skin: Wash with plenty of water.

**P305+P351+P338 -** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

**P310 - I**mmediately call a poison center or doctor.

**P321 -** Specific treatment (see supplemental first aid instruction on this label).

**P333+P313 -** If skin irritation or rash occurs: Get medical advice/attention.

**P363 -** Wash contaminated clothing before reuse.

**P370+P378 -** In case of fire: Use media other than water to extinguish.

**P391 -** Collect spillage.

**P403+P235 -** Store in a well-ventilated place. Keep cool.

**P501 -** Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

**Other hazards which do not result in classification**

No additional information available

**Unknown acute toxicity (GHS US)**

Not applicable

**SECTION 3: Composition/Information on ingredients**

**Substances**

**Not applicable**

**Mixtures**

| Name | Product identifier | % | GHS US classification |
|---|---|---|---|
| **dipropylene glycol monomethyl ether** | (CAS-No.) 34590-94-8 | 35-45 | Flam. Liq. 4, H227 |
| **dimethyl glutarate** | (CAS-No.) 1119-40-0 | 30-40 | Aquatic Acute 3, H402 |
| **dimethyl succinate** | (CAS-No.) 106-65-0 | 0-10 | Aquatic Acute 3, H402 |
| **dimethyl adipate** | CAS-No.) 627-93-0 | 0-10 | Acute Tox. 4 (Dermal), H312<br>Aquatic Acute 3, H402 |
| **Tomadol 91.6** | (CAS-No.) 68439-46-3 | 0-5 | Acute Tox. 4 (Oral), H302<br>Eye Dam. 1, H318 |
| **(+)-limonene** | (CAS-No.) 5989-27-5 | 0-5 | Flam. Liq. 3, H226<br>Skin Irrit. 2, H315<br>Skin Sens. 1, H317<br>Asp. Tox. 1, H304<br>Aquatic Acute 1, H400<br>Aquatic Chronic 1, H410 |

Full text of hazard classes and H-statements : see section 16

**SECTION 4: First-aid measures**

**Description of first aid measures**

**First-aid measures general :** If you feel unwell, seek medical advice.

**First-aid measures after inhalation** : Remove person to fresh air and keep comfortable for breathing.

**First-aid measures after skin contact :** Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.

**First-aid measures after eye contact :** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.

**First-aid measures after ingestion :** Call a poison center/doctor/physician if you feel unwell.

**Most important symptoms and effects (acute and delayed)**

**Symptoms/effects after inhalation :** Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.

**Symptoms/effects after skin contact :** May cause an allergic skin reaction.

**Symptoms/effects after eye contact :** Serious damage to eyes.

**Symptoms/effects after ingestion :** None under normal conditions.

**Immediate medical attention and special treatment, if necessary**

Treat symptomatically.

**SECTION 5: Fire-fighting measures**

**Suitable (and unsuitable) extinguishing media**

**Suitable extinguishing media :** Water spray. Dry powder. Foam. Carbon dioxide.

**Unsuitable extinguishing media :** Do not use a heavy water stream.

**Specific hazards arising from the chemical**

**Fire hazard :** Combustible liquid.

**Explosion hazard :** No direct explosion hazard.

**Hazardous decomposition products in case of fire:** Toxic fumes may be released.

**Special protective equipment and precautions for fire-fighters**

**Firefighting instructions :** Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.

**Protection during firefighting :** Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

**SECTION 6: Accidental release measures**

**Personal precautions, protective equipment and emergency procedures**

**General measures:** Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material-damage.

**For non-emergency personnel**

**Protective equipment:** Wear recommended personal protective equipment.

**Emergency procedures:** Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.

**For emergency responders**

**Protective equipment:** Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

**Emergency procedures:** Evacuate unnecessary personnel. Stop leak if safe to do so.

**Environmental precautions** Avoid release to the environment.

**Methods and material for containment and cleaning up**

**For containment:** Collect spillage. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk.

**Methods for cleaning up:** Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.

**Other information:** Dispose of materials or solid residues at an authorized site.

**Reference to other sections**

For further information refer to section 13.

**SECTION 7: Handling and storage**

**Precautions for safe handling**

**Additional hazards when processed:** Not expected to present a significant hazard under anticipated conditions of normal use.

**Precautions for safe handling :** Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.

**Hygiene measures :** Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

**Conditions for safe storage, including any incompatibilities**

**Technical measures:** Keep in a cool, well-ventilated place away from heat.

**Storage conditions:** Store in a well-ventilated place. Keep cool.

**Packaging materials:** Always store product in container of same material as original container

**SECTION 8: Exposure controls/personal protection**

**Control parameters**

| Name | CAS | OSHA/ACGIH – TWA | OSHA/ACGIH – STEL | OSHA/ACGIH – Ceiling |
|---|---|---|---|---|
| **dipropylene glycol monomethyl ether** | 34590-94-8 | 600 mg/m³; 100 ppm; 100 ppm | 150 ppm | Not applicable |
| **dimethyl glutarate** | 1119-40-0 | Not applicable | Not applicable | Not applicable |
| **dimethyl succinate** | 106-65-0 | Not applicable | Not applicable | Not applicable |
| **dimethyl adipate** | 627-93-0 | Not applicable | Not applicable | Not applicable |
| **Tomadol 91.6** | 68439-46-3 | Not applicable | Not applicable | Not applicable |
| **(+)-limonene** | 5989-27-5 | Not applicable | Not applicable | Not applicable |

**Appropriate engineering controls**

**Appropriate engineering controls :** Ensure good ventilation of the work station.

**Environmental exposure controls:** Avoid release to the environment.

**Individual protection measures/Personal protective equipment**

**Personal protective equipment:**

Wear recommended personal protective equipment.

**Hand protection:**

Protective gloves

**Eye protection:**

Safety glasses

**Skin and body protection:**

Wear suitable protective clothing

**Respiratory protection:**

In case of insufficient ventilation, wear suitable respiratory equipment

**Personal protective equipment symbol(s):**



**SECTION 9: Physical and chemical properties**

**Information on basic physical and chemical properties**

| | |
|---|---|
| **Physical state:** | Liquid |
| **Color:** | Colourless |
| **Odor:** | lemon-like |
| **Odor threshold:** | No data available |
| **pH:** | No data available |
| **Melting point:** | Not applicable |
| **Freezing point:** | No data available |
| **Boiling point :** | 185 °C \| 366 °F [Lowest Component] |
| **Flash point :** | 75 °C \| 168 °F [Lowest Component] |
| **Relative evaporation rate (butyl acetate=1) :** | |
| | No data available |
| **Flammability :** | No data available |
| **Vapor pressure :** | No data available |
| **Relative vapor density at 20°C :** | No data available |
| **Relative density :** | No data available |
| **Density:** | 8.523 lb/gal |
| **Solubility:** | No data available |
| **Partition coefficient n-octanol/water (Log Pow) :** | |
| | No data available |
| **Auto-ignition temperature:** | 260 °C \| 500 °F [Lowest Component] |
| **Decomposition temperature:** | No data available |
| **No data availableViscosity, kinematic:** | |
| | No data available |
| **Viscosity, dynamic:** | No data available |
| **Explosion limits:** | No data available |
| **Explosive properties:** | No data available |
| **Oxidizing properties:** | No data available |

**Other information**

No additional information available

**SECTION 10: Stability and reactivity**

**Reactivity**

The product is non-reactive under normal conditions of use, storage and transport

**Chemical stability**

Stable under normal conditions.

**Possibility of hazardous reactions**

No dangerous reactions known under normal conditions of use.

**Conditions to avoid**

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

**Incompatible materials**

No additional information available

**Hazardous decomposition products**

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

**SECTION 11: Toxicological information**

**Information on toxicological effects**

**Acute toxicity (oral) :** Not classified

**Acute toxicity (dermal) :** Not classified

**Acute toxicity (inhalation) :** Not classified

| Name | CAS | LD50 Oral | LD50 Dermal | LD50 Inhalation |
|---|---|---|---|---|
| **dipropylene glycol monomethyl ether** | 34590-94-8 | > 5000 mg/kg (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s)) | Not applicable | > 1.67 mg/l air (Equivalent or similar to OECD 403, 7 h, Rat ,Male / female, Experimental value, Inhalation (vapours), 14 day(s)) |
| **dimethyl glutarate** | 1119-40-0 | Not applicable | Not applicable | Not applicable |
| **dimethyl succinate** | 106-65-0 | 6892 mg/kg (Rat, Female, Experimental value, Oral, 14 day(s)) | > 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal) | Not applicable |
| **dimethyl adipate** | 627-93-0 | > 5000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, 14 day(s), Rat, Female, Readacross, Oral) | Not applicable | > 11 mg/l (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Read-across, Inhalation (aerosol) |
| **Tomadol 91.6** | 68439-46-3 | Not applicable | Not applicable | Not applicable |
| **(+)-limonene** | 5989-27-5 | > 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral) | Not applicable | Not applicable |

**Skin corrosion/irritation:** Not classified

**Serious eye damage/irritation:** Causes serious eye damage.

**Respiratory or skin sensitization:** May cause an allergic skin reaction.

**Germ cell mutagenicity:** Not classified

**Carcinogenicity:** Not classified

**Reproductive toxicity:** Not classified

**STOT-single exposure:** Not classified

**STOT-repeated exposure:** Not classified

**Aspiration hazard:** Not classified

**Viscosity, kinematic:** No data available

**Symptoms/effects after inhalation:** Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.

**Symptoms/effects after skin contact:** May cause an allergic skin reaction.

**Symptoms/effects after eye contact:** Serious damage to eyes.

**Symptoms/effects after ingestion:** None under normal conditions.

**SECTION 12: Ecological information**

**Toxicity**

**Ecology - general: Toxic to aquatic life. Toxic to aquatic life with long lasting effects**

| Name | CAS | LD50 Fish | EC50 Crustacae | ErC50 Fish |
|---|---|---|---|---|
| **dipropylene glycol monomethyl ether** | 34590-94-8 | Not applicable | Not applicable | > 969 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP) |
| **dimethyl glutarate** | 1119-40-0 | Not applicable | 112 – 150 ppm (EPA OTS 797.1300, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Lethal) | Not applicable |
| **dimethyl succinate** | 106-65-0 | Not applicable | > 100 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP) | > 100 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP) |
| **dimethyl adipate** | 627-93-0 | Not applicable | 72 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value) | Not applicable |
| **Tomadol 91.6** | 68439-46-3 | Not applicable | Not applicable | Not applicable |
| **(+)-limonene** | 5989-27-5 | Not applicable | 0.307 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semistatic system, Fresh water, Experimental value, GLP) | 0.32 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP) |

**Persistence and degradability**

| | |
|---|---|
| **dipropylene glycol monomethyl ether (34590-94-8)** | |
| **Persistence and degradability** | Readily biodegradable in water. |
| **Biochemical oxygen demand (BOD)** | 0 g $O_2$/g substance |
| **ThOD** | 2.06 g $O_2$/g substance |
| **BOD (% of ThOD)** | 0 |
| **dimethyl glutarate (1119-40-0)** | |
| **Persistence and degradability** | Readily biodegradable in water. |
| **dimethyl succinate (106-65-0)** | |
| **Persistence and degradability** | Readily biodegradable in water. |
| **dimethyl adipate (627-93-0)** | |
| **Persistence and degradability** | Readily biodegradable in water |
| **ThOD** | 1.747 g $O_2$/g substance |
| **(+)-limonene (5989-27-5)** | |
| **Persistence and degradability** | Readily biodegradable in water |
| **ThOD** | 3.29 g $O_2$/g substance |

**Bioaccumulative potential**

| | |
|---|---|
| **dipropylene glycol monomethyl ether (34590-94-8)** | |
| **Partition coefficient n-octanol/water (Log Pow)** | 0.004 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C) |
| **Bioaccumulative potential** | Low potential for bioaccumulation (Log Kow < 4). |
| **dimethyl glutarate (1119-40-0)** | |
| **Partition coefficient n-octanol/water (Log Pow)** | 0.49 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 20 °C) |
| **Bioaccumulative potential** | Low potential for bioaccumulation (Log Kow < 4). |

| | |
|---|---|
| **dimethyl succinate (106-65-0)** | |
| **BCF - Other aquatic organisms [1]** | 3.16 l/kg (BCFBAF v3.01, QSAR) |
| **Partition coefficient n-octanol/water (Log Pow)** | 0.33 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 40 °C) |
| **Bioaccumulative potential** | Low potential for bioaccumulation (Log Kow < 4). |
| **dimethyl adipate (627-93-0)** | |
| **Partition coefficient n-octanol/water (Log Pow)** | 1.4 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 22 °C) |
| **Bioaccumulative potential** | Low potential for bioaccumulation (Log Kow < 4). |
| **(+)-limonene (5989-27-5)** | |
| **BCF - Fish [1]** | 864.8 l/kg (BCFBAF v3.01, Pisces, QSAR, Fresh weight) |
| **Partition coefficient n-octanol/water (Log Pow)** | 4.38 (Experimental value, Equivalent or similar to OECD 117, 37 °C) |
| **Bioaccumulative potential** | Potential for bioaccumulation (4 ≤ Log Kow ≤ 5). |

**Mobility in soil**

| | |
|---|---|
| **dipropylene glycol monomethyl ether (34590-94-8)** | |
| **Surface tension** | 68.7 mN/m (20 °C, 1 g/l, OECD 115: Surface Tension of Aqueous Solutions) |
| **Ecology - soil** | No (test)data on mobility of the substance available. |
| **dimethyl glutarate (1119-40-0)** | |
| **Organic Carbon Normalized Adsorption Coefficient (Log Koc)** | 0.718 – 1.065 (log Koc, SRC PCKOCWIN v2.0, Estimated value) |
| **Ecology - soil** | Highly mobile in soil. |
| **dimethyl succinate (106-65-0)** | |
| **Organic Carbon Normalized Adsorption Coefficient (Log Koc)** | 1 (log Koc, SRC PCKOCWIN v2.0, QSAR) |
| **Ecology - soil** | Highly mobile in soil. |
| **dimethyl adipate (627-93-0)** | |
| **Ecology - soil** | No (test)data on mobility of the substance available |
| **(+)-limonene (5989-27-5)** | |
| **Ecology - soil** | Low potential for mobility in soil. |

**Other adverse effects**

No additional information available

## SECTION 13: Disposal considerations

**Disposal methods**

**Regional waste regulation:** Disposal must be done according to official regulations.

**Waste treatment methods:** Dispose of contents/container in accordance with licensed collector's sorting instructions.

**Sewage disposal recommendations:** Disposal must be done according to official regulations.

**Product/Packaging disposal recommendations:** Disposal must be done according to official regulations.

**Additional information:** Do not re-use empty containers.

## SECTION 14: Transport information

**Department of Transportation (DOT)**

**In accordance with DOT**

**Transport document description (DOT):** NA1993 Compounds, cleaning liquid, 3, III

**UN-No. (DOT) :** NA1993

**Proper Shipping Name (DOT) :** Compounds, cleaning liquid

**Class (DOT) :** 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120

**Packing group (DOT :** III - Minor Danger

**Hazard labels (DOT) :** 3 - Flammable liquid



| | |
|---|---|
| **Dangerous for the environment :** | Yes |
| **Marine pollutant :** | Yes |



| | |
|---|---|
| **DOT Packaging Non Bulk (49 CFR 173.xxx):** | 203 |
| **DOT Packaging Bulk (49 CFR 173.xxx):** | 242 |
| **DOT Special Provisions (49 CFR 172.102):** | B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable.<br>B52 - Notwithstanding the provisions of 173.24b of this subchapter, non-reclosing pressure relief devices are authorized on DOT 57 portable tanks.<br>IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite<br>(31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55<br>C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).<br>T4 - 2.65 178.274(d)(2) Normal..... 178.275(d)(3)<br>TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling. TP29 - A portable tank having a minimum test pressure of 1.5 bar (150.0 kPa) may be used provided the calculated test pressure is 1.5 bar or less based on the MAWP of the hazardous materials, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP. |
| **DOT Packaging Exceptions (49 CFR 173.xxx):** | 150 |
| **DOT Quantity Limitations Passenger aircraft/rail: (49 CFR 173.27)** | 60 L |
| **DOT Quantity Limitations Cargo aircraft only (49: CFR 175.75)** | 220 L |
| **DOT Vessel Stowage Location :** | A - The material may be stowed ‘‘on deck’’ or ‘‘under deck’’ on a cargo vessel and on a passenger vessel. |
| **Other information :** | No supplementary information available |

**Transportation of Dangerous Goods**

Not applicable

**Transport by sea**

Not applicable

**Air transport**

Not applicable

**SECTION 15: Regulatory information**

**US Federal regulations**

**All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, except for:**

| | | |
|---|---|---|
| **dipropylene glycol monomethyl ether** | **CAS-No. 34590-94-8** | **35-45%** |
| **dimethyl glutarate** | CAS-No. 1119-40-0 | 30-40% |
| **dimethyl succinate** | CAS-No. 106-65-0 | 0-10% |
| **dimethyl adipate** | CAS-No. 627-93-0 | 0-10% |
| **Tomadol 91.6** | CAS-No. 68439-46-3 | 0-5% |
| **(+)-limonene** | CAS-No. 5989-27-5 | 0-5% |

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372

**International regulations**

**CANADA**

| |
|---|
| **dipropylene glycol monomethyl ether (34590-94-8)** |
| **Listed on the Canadian DSL (Domestic Substances List)** |
| **dimethyl glutarate (1119-40-0)** |
| **Listed on the Canadian DSL (Domestic Substances List)** |
| **dimethyl succinate (106-65-0)** |
| **Listed on the Canadian DSL (Domestic Substances List)** |
| **dimethyl adipate (627-93-0)** |
| **Listed on the Canadian DSL (Domestic Substances List)** |
| **(+)-limonene (5989-27-5)** |
| **Listed on the Canadian DSL (Domestic Substances List)** |

**EU-Regulations**

No additional information available

**National regulations**

No additional information available

**US State regulations**

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

| Component | State or local regulations |
|---|---|
| **dipropylene glycol monomethyl ether(34590-94-8)** | U.S. - Massachusetts - Right To Know List; U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List |

**SECTION 16: Other information**

**Full text of hazard classes and H-statements:**

| | |
|---|---|
| **H226** | **Flammable liquid and vapor** |
| **H227** | Combustible liquid |
| **H302** | Harmful if swallowed |
| **H304** | May be fatal if swallowed and enters airways |
| **H312** | Harmful in contact with skin |
| **H315** | Causes skin irritation |
| **H317** | May cause an allergic skin reaction |
| **H318** | Causes serious eye damage |
| **H400** | Very toxic to aquatic life |
| **H401** | Toxic to aquatic life |
| **H402** | Harmful to aquatic life |
| **H410** | Very toxic to aquatic life with long lasting effects |
| **H411** | Toxic to aquatic life with long lasting effects |

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.